

# Work Order ID 75339

**\*75339\***

Page 1

October-21-11 7:57:25 AM

Item ID: D350-567-113 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Replacement Window, Extra Large  
 Start Date: 20/10/2011 Start Qty: 1.00 **\*1\*** Cust Item ID:  
 Required Date: 08/11/2011 Req'd Qty: 1.00 **\*1\*** Customer:  
 Reference:

Approvals: Process Plan: MLJ Date: 11/10/21 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
<b>Draw Nbr</b>	<b>Revision Nbr</b>								
IIN-D350-567	Rev D								
100		0.00							
<b>*100*</b>	DOCUMENT CONTROL								
DC	<b>Memo</b>	0.00							
Document Control	Photocopy bluefile & type labels per PPPD350-567-113		CHG003						
110		0.00							
<b>*110*</b>	Packaging								
Packaging	<b>Memo</b>	0.00							
Packaging	Pick Packing Kit								
	***ENSURE DT 8439 TEMPLATE IS INCLUDED***								
120		0.00							
<b>*120*</b>	QC4- 100% Inspect kits for completeness								
QC	<b>Memo</b>	0.00							
Quality Control									

MLJ 11-11-29  
 ①

SP 11-11-29

11.11.29 ①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 75339

October-21-11 7:57:25 AM

**\*75339\***

Page 2

Item ID: D350-567-113 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Replacement Window, Extra Large  
 Start Date: 20/10/2011 Start Qty: 1.00 **\*1\*** Cust Item ID:  
 Required Date: 08/11/2011 Req'd Qty: 1.00 **\*1\*** Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Packaging	0.00							
<b>*130*</b>									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPPD350-567-113								
	Location: <u>DPK</u>								
	PPP Rev: <u>DPK</u>								
140	QC21- Final Inspection - Work Order Release	0.00							
<b>*140*</b>									
QC	Memo	0.00							
Quality Control									

Sp 11-11-29

11/11/29

MF

11-11-29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

October-21-11 7:57:31 AM

Page 1

Work Order ID: 75339

\*75339\*

Parent Item: D350-567-113

\*D350-567-113\*

Parent Item Name: Replacement Window, Extra Large

Start Date: 20/10/2011

Required Date: 08/11/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 04-08-24 New Issue JLM  
IPP Rev:B 08-10-07 as per revD DD verified by:

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
212-12 *212-12* Receptacles		Purchased	No			110	Each	33.0000	12	12			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST398		33							
				118386		33							
2600-6 *2600-6* Camlock Stud		Purchased	No			110	Each	226.0000	12	12			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST378		226							
				118611		1							
				118752		8							
				<del>118800</del>		127							
				118852		90							
2600-LW *2600-LW* Camloc Retaining Washer		Purchased	No			110	Each	30.0000	12	12			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST380		19							
				118608		19							
				ST398		11							
				118386		11							

\*\*

M119528 SP  
12x

\*\*

SP

\*\*

M119510<sup>12x</sup> SP 11-1-29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

October-21-11 7:57:31 AM

Page 2

Work Order ID: 75339

\*75339\*

Parent Item: D350-567-113

\*D350-567-113\*

Parent Item Name: Replacement Window, Extra Large

Start Date: 20/10/2011

Required Date: 08/11/2011

Start Qty: 1.00

Required Qty: 1.00

AN526C832R9

Purchased

No

110

Each

366.0000

21

21

\*AN526C832R9\*

Screw

\*\*

M 119623 SP.  
21X.

Location

Loc Qty

Loc Code

ST327

366

118422

16

118983

350

110

Each

0.0000

42

42

AN960JD8

NAS1149DN832

Purchased

No

\*AN960JD8\*

Washer

D2463

Manufactured

No

110

f

582.3188

7.166

7.543158

\*D2463\*

Seal

\*\*

M 118614 SP.  
42X.

Location

Loc Qty

Loc Code

ST404

582.3188

64944

1.71

66954

80.6088

72232

500

110

Each

6.0000

1

1

D3290-041

Manufactured

No

\*D3290-041\*

Replacement Window Assembly

\*\*

Q 11-11-29

Location

Loc Qty

Loc Code

ST219

1

65144

1

ST290

5

73721

5

October-21-11 7:57:31 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

October-21-11 7:57:31 AM

Page 3

Work Order ID: 75339

Parent Item: D350-567-113

Parent Item Name: Replacement Window, Extra Large

\*75339\*

\*D350-567-113\*

Start Date: 20/10/2011

Required Date: 08/11/2011

Start Qty: 1.00

Required Qty: 1.00

FG-778150-550-ROL

Purchased

No

110

sf

3,847.231

18

18

\*FG-778150-550-ROI \*

7781 9oz Glass 50"x125yd

\*\*

80

Location

Loc Qty

Loc Code

CA

2871.231

117602

1096.231

119099

1775

ST404

976

104845

3

108932

18

111166

392

113905

563

2sq yards

MS20426AD3-5

Purchased

No

110

Each

13,150.00

24

24

\*MS20426AD3-5\*

Rivet

\*\*

SP

Location

Loc Qty

Loc Code

ST316

13150

4179

1336

4444

5654

4533

6160

MS21042L08

Purchased

No

110

Each

326.0000

21

21

\*MS21042L08\*

Nut

\*\*

SP 11-11-29.

Location

Loc Qty

Loc Code

ST300

326

118628

43

119109

283

21 X

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

## 5.0 PARTS LIST

Qty -015	Qty -017	Qty -025	Qty -027	Qty -111	Qty -117	Part Number	Description
X						D350-567-015	FLOOR WINDOW INSTALLATION (SMALL)
	X					D350-567-017	FLOOR WINDOW INSTALLATION (SMALL)
		X				D350-567-025	FLOOR WINDOW INSTALLATION (LARGE)
			X			D350-567-027	FLOOR WINDOW INSTALLATION (LARGE)
				X		D350-567-111	FLOOR WINDOW INSTALLATION (EXTRA LARGE)
					X	D350-567-117	FLOOR WINDOW INSTALLATION (EXTRA LARGE)
1	1					D350-567-013	REPLACEMENT WINDOW KIT (SMALL)
		1	1			D350-567-023	REPLACEMENT WINDOW KIT (LARGE)
				1	1	D350-567-113	REPLACEMENT WINDOW KIT (EXTRA LARGE)
	1		1	1		D350-567-115	INTERIOR FLOOR WINDOW KIT
1		1			1	D350-567-031	INTERIOR FLOOR WINDOW KIT (SLIDING DOOR COMPATABLE)

Qty -013	Qty -023	Qty -113	Qty -115	Qty -031	Part Number	Description
X					D350-567-013	REPLACEMENT WINDOW KIT (SMALL)
	X				D350-567-023	REPLACEMENT WINDOW KIT (LARGE)
		X			D350-567-113	REPLACEMENT WINDOW KIT (EXTRA LARGE)
			X		D350-567-115	INTERIOR FLOOR WINDOW KIT
				X	D350-567-031	INTERIOR FLOOR WINDOW KIT (SLIDING DOOR COMPATABLE)
1					D2125	REPLACEMENT WINDOW, SMALL
	1				D2942	REPLACEMENT WINDOW, LARGE
		1			D3290-041	REPLACEMENT WINDOW ASSEMBLY, EXTRA LARGE)
1					D2126-0600	SEAL
	1				D2463-0750	NEOPRENE SEAL
		1			D2463-0860	NEOPRENE SEAL
	9	12			2600-6	1/4 TURN FASTENER
	9	12			2600-LW	WASHER
	9	12			212-12	RECEPTACLE
	22	21			AN526C832R9	SCREW (OR AN526C832-9, OR MS51957-126)
	44	42			AN960JD8	WASHER
	22	21			MS21042L08	NUT (OR MS21042-08)
	18	24			MS20426AD3-5	RIVET
2 SQ. YD	2 SQ. YD	2 SQ. YD			N/A	9.7oz 7781 'S' GLASS UNIVERSAL WEAVE
				1	D2463-0450	NEOPRENE SEAL
				1	D3210-1	DOUBLER
				1	D3211-1	BRACKET
				1	D3212-1	FLOOR WINDOW
				1	D3213-041	DOOR ASSEMBLY
			1		D3293-1	DOUBLER
			1		D3294-1	BRACKET
			1		D3295-041	FLOOR WINDOW
			1		D3296-041	DOOR ASSEMBLY
			1		D2463-0530	NEOPRENE SEAL
			9	8	AN526C632R12	SCREW (OR AN526C632-12, OR MS51957-32)
			9	8	AN960JD6	WASHER
			9	8	MS21042L06	NUT (OR MS21042-06)
			2	40	MS20470AD4-5	RIVET
			115	90	MS20470AD4-6	RIVET
			15	20	MS20470AD4-7	RIVET

• COPYRIGHT © 2000 BY DART AEROSPACE LTD. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: D

Date: 08.07.08